

## STAND ALONE KEYPADS – INCLUDING PROX KEYPAD

BFT-PROX

BFT-KP

BFT-KP-PROX



Useful to add as a pedestrian gate access or exit keypad, with prox tag/card reader for swifter access.



BFT Americas, Inc.  
1200 S.W. 35th Avenue  
Suite B  
Boynton Beach, Florida 33426

T: +1 561 995 8155  
T: US. 1877 995 8155  
info.bft@bft-usa.com



### Stand alone keypad for access control.

#### BFT-KP

- Useful to add as a pedestrian gate access or exit keypad.
- Stainless steel construction.
- 3 relays. 1,200 codes.
- Power supply included.
- Sleek gloss black face plate, reinforced with stainless steel, textured powder coated corrosion resistant aluminium hood and stainless steel back plate.

### Stand alone unit with prox reader for access control.

#### BFT-PROX



- Useful to add as a pedestrian gate access or exit keypad, with prox tag/card reader for swifter access.
- Add up to 200 cards or tags to intercom remotely by SMS text or app.
- Add up to 20 time restricted tags or cards by app.
- Power supply included.
- Sleek gloss black face plate, reinforced with stainless steel, textured powder coated corrosion resistant aluminium hood and stainless steel back plate.



Be ahead

BFT Americas, Inc.  
1200 S.W. 35th Avenue  
Suite B  
Boynton Beach, Florida 33426

T: +1 561 995 8155  
T: US. 1877 995 8155  
info.bft@bft-usa.com



**Stand alone keypad with prox reader for access control.  
BFT-KP-PROX**

- Useful to add as a pedestrian gate access or exit keypad, with prox tag/card reader for swifter access.
- Add up to 200 cards or tags to intercom remotely by SMS text or app. 3 relays. 1,200 codes.
- Add up to 20 time restricted tags or cards by app.
- Stainless steel construction.
- 3 relays.
- Power supply included.
- Sleek gloss black face plate, reinforced with stainless steel, textured powder coated corrosion resistant aluminium hood and stainless steel back plate. .



Be ahead

BFT Americas, Inc.  
1200 S.W. 35th Avenue  
Suite B  
Boynton Beach, Florida 33426

T: +1 561 995 8155  
T: US. 1877 995 8155  
info.bft@bft-usa.com